Aluminum Extrusions Worksheet

1.	AWB or B/L:			
2.	Description of goods:	Part number:		
3.	Tariff number (if known):	(https://hts.usitc.gov/current)		
4.	Country of Origin:			
5.	Does the product contain aluminum? Yes. <i>(Go to 6.)</i> No. What is it made of?		(Go to 14)	
6.	 6. Was the aluminum component, form, product, shape or aluminum subassembly produced by an extrusion process? Yes. Country where aluminum was extruded: (Go to 7.) No. Describe process: (Go to 12.) 			

7. Were the aluminum extrusions further processed or assembled in another country?

Yes. Country:	(Go to 8.)
No. (Go to 8.)	

8. Select type of aluminum from the below table.

Association series designation commencing with number 1) Aluminum alloy containing manganese as the major alloying element, with manganese accounting for not more than 3.0% of total materials by weight. (Aluminum Association series designation commencing with number 3) Go Aluminum alloy containing no more than 2% magnesium content (Aluminum Association series designation commencing with number 3) Go Aluminum alloy containing no more than 2% magnesium content (Aluminum Association series designation commencing with number 5). Go Amount of magnesium contained is%. Material Sector S	to 9 to 9 to 9
manganese accounting for not more than 3.0% of total materials by weight. (Aluminum Association series designation commencing with number 3) Aluminum alloy containing no more than 2% magnesium content (Aluminum Association series designation commencing with number 5). Amount of magnesium contained is%.	
Association series designation commencing with number 5). Amount of magnesium contained is%.	to 9
Aluminum alloy containing magnesium and silicon as the major alloying elements, with magnesium accounting for at least 0.1% but not more than 2.0% of total materials by weight, and silicon accounting for at least 0.1% but not more than 3.0% of total materials by weight. (Aluminum Association series designation commencing with number 6)	to 9
Pure, unwrought aluminum in any formGo	to 11
Aluminum alloy containing in excess of 1.5% copper by weight (Aluminum Association series designations commencing with the number 2)Go	to 11
Aluminum alloy containing in excess of 2.0% zinc by weight (Aluminum Association series designation commencing with the number 7)Go	to 11
None of the above Go	to 9

9. Does the product meet any of the following descriptions?

to alloy code 1080A as designated by the Aluminum Association where the tubular container (excluding the nozzle) meets each of the following dimensional characteristics: (1) Length of 37 mm or 62 mm, (2) outer diameter of 11.0 mm or 12.7 mm, and (3) wall thickness not exceeding 0.13 mm. Finished heat sinks. Finished heat sinks are fabricated heat sinks made from aluminum extrusions the design and production of which are organized around meeting certain specified thermal performance requirements and which have been fully, albeit not necessarily individually, tested to comply with such requirements. Go to 10 Rectangular wire produced from continuously cast rolled aluminum wire rod, which is subsequently extruded to dimension to form rectangular wire. The product is made from aluminum alloy grade 1070 or 1370, with no recycled metal content allowed. The dimensions of the wire are 5 mm (+/- 0.05 mm) in width and 1.0 mm (+/- 0.02 mm) in thickness. Go to 11 Rectangular wire imported in bulk rolls or precut strips and produced from continuously cast rolled aluminum wire rod, which is subsequently extruded to dimension to form rectangular wire wire without rounded edges. The product is made from aluminum alloy grade 1070 or 1370, with no recycled metal content allowed. The dimensions of the wire are 2.95 mm to 6.05 mm in width, and 0.65 mm to 1.25 mm in thickness. Go to 11 Finished Good that consists of aluminum extrusions and additional non-extruded aluminum component(s) that is fully and permanently assembled and compileted at the time of entry. Examples (not all-inclusive): Finished windows with glass; solar panels. Go to 11 Finished Good that consists of aluminum extrusions and additional non-extruded aluminum, decorative stell finish that attach to the rail)	9. Doe	s the product meet any of the following descriptions?	
aluminum extrusions the design and production of which are organized around meeting certain specified thermal performance requirements and which have been fully, albeit not necessarily individually, tested to comply with such requirements. Go to 11 Rectangular wire produced from continuously cast rolled aluminum wire rod, which is subsequently extruded to dimension to form rectangular wire. The product is made from aluminum alloy grade 1070 or 1370, with no recycled metal content allowed. The dimensions of the wire are 5 mm (+/- 0.05 mm) in with th and 1.0 mm (+/- 0.02 mm) in thickness. Go to 11 Rectangular wire imported in bulk rolls or precut strips and produced from continuously cast rolled aluminum wire rod, which is subsequently extruded to dimension to form rectangular wire with or without rounded edges. The product is made from aluminum alloy grade 1070 or 1370, with no recycled metal content allowed. The dimensions of the wire are 2.95 mm to 6.05 mm in width, and 0.65 mm to 1.25 mm in thickness. Go to 11 Finished Good that consists of aluminum extrusions and additional non-extruded aluminum component(s) that is fully and permanently assembled and completed at the time of entry. Examples (not all-inclusive): Finished windows with glass; doors with glass; solar panels. Go to 11 Finished Goods Kit. Goods containing aluminum extrusions that are entered in finalt finished goods kit". A finished goods kit is understood to mean a packaged (e.g. for retail sale) combination of parts that contains, at the time of alloring aluminum extrusion good and fagures no further finishing or fabrication, such as cutting or punching, and is assembled aluminum, decorative steel finals that attach to the rail.) Go to 11 Note: A kit that merely includes th		to alloy code 1080A as designated by the Aluminum Association where the tubular container (excluding the nozzle) meets each of the following dimensional characteristics: (1) Length of 37 mm or 62 mm, (2) outer diameter of 11.0 mm or	Go to 11
which is subsequently extruded to dimension to form rectangular wire. The product is made from aluminum alloy grade 1070 or 1370, with no recycled metal content allowed. The dimensions of the wire are 5 mm (+/- 0.05 mm) in width and 1.0 mm (+/- 0.02 mm) in thickness. Go to 11 Rectangular wire imported in bulk rolls or precut strips and produced from continuously cast rolled aluminum wire rod, which is subsequently extruded to dimension to form rectangular wire with or without rounded edges. The product is made from aluminum alloy grade 1070 or 1370, with no recycled metal content allowed. The dimensions of the wire are 2.95 mm to 6.05 mm in width, and 0.65 mm to 1.25 mm in thickness. Go to 11 Finished Good that consists of aluminum extrusions and additional non-extruded aluminum component(s) that is fully and permanently assembled and completed at the time of entry. Examples (not all-inclusive): Finished windows with glass; doors with glass; solar panels. Go to 11 Finished Goods Kit. Goods containing aluminum extrusions that are entered unassembled and in the form of a "finished good skit". A finished goods kit is understood to mean a packaged (e.g. for retail sale) combination of parts that contains, at the time of importation, all of the necessary parts to fully assemble a final finished good and requires no further finishing or fabrication, such as cutting or punching, and is assembled 'as is'' into a finished good and fasteners such as screws, bolts, etc. does not meet the definition of a "finished good skit". Go to 10 Unfinished Goods or Kits containing aluminum extrusions and components (other than mere fasteners) that will be assembled together and input into another product which is sold to an end user. Components are considered unfinished bocdus ere they require additional finish		aluminum extrusions the design and production of which are organized around meeting certain specified thermal performance requirements and which have been fully, albeit not necessarily individually, tested to comply with such	Go to 10
continuously cast rolled aluminum wire rod, which is subsequently extruded to dimension to form rectangular wire with or without rounded edges. The product is made from aluminum alloy grade 1070 or 1370, with no recycled metal content allowed. The dimensions of the wire are 2.95 mm to 6.05 mm in width, and 0.65 mm to 1.25 mm in thickness.Go to 11Finished Good that consists of aluminum extrusions <u>and</u> additional non- extruded aluminum component(s) that is fully and permanently assembled and completed at the time of entry. Examples (not all-inclusive): Finished windows 		which is subsequently extruded to dimension to form rectangular wire. The product is made from aluminum alloy grade 1070 or 1370, with no recycled metal content allowed. The dimensions of the wire are 5 mm (+/- 0.05 mm) in	Go to 11
extruded aluminum component(s) that is fully and permanently assembled and completed at the time of entry. Examples (not all-inclusive): Finished windows with glass; doors with glass; solar panels.Go to 11Finished Goods Kit. Goods containing aluminum extrusions that are entered unassembled and in the form of a "finished goods kit". A finished goods kit is understood to mean a packaged (e.g. for retail sale) combination of parts that contains, at the time of importation, all of the necessary parts to fully assemble a final finished good and requires no further finishing or fabrication, such as cutting or punching, and is assembled "as is" into a finished product. Example: Drapery rail kits consisting of all components required to install the drapery rail on the wall (rail that is made of extruded aluminum, decorative steel brackets and decorative steel finials that attach to the rail.)Go to 10Note: A kit that merely includes the aluminum extrusion good and fasteners such as screws, bolts, etc. does not meet the definition of a "finished goods kit".Go to 10Unfinished Goods or Kits containing aluminum extrusions and components (other than mere fasteners) that will be assembled together and input into another product which is sold to an end user. Components are considered unfinished because they require additional finishing or fabrication OR do not contain all necessary parts to assemble a final finished good OR goods are not packaged for retail sale. Example: Dining chair kit consisting of extruded aluminum profiles but does not include the upholstered seat.Go to 10Subassembly containing aluminum extrusions that is partially assembled (e.g., via welding, mechanical fasteners, or other attachment mechanism) and designed for the sole purpose of becoming part of a larger whole. Example: Door thresholds consisting of		continuously cast rolled aluminum wire rod, which is subsequently extruded to dimension to form rectangular wire with or without rounded edges. The product is made from aluminum alloy grade 1070 or 1370, with no recycled metal content allowed. The dimensions of the wire are 2.95 mm to 6.05 mm in width,	Go to 11
Finished Goods Kit. Goods containing aluminum extrusions that are entered unassembled and in the form of a "finished goods kit". A finished goods kit is understood to mean a packaged (e.g. for retail sale) combination of parts that contains, at the time of importation, all of the necessary parts to fully assemble a final finished good and requires no further finishing or fabrication, such as cutting or punching, and is assembled "as is" into a finished product. Example: Drapery rail kits consisting of all components required to install the drapery rail on the wall (rail that is made of extruded aluminum, decorative steel brackets and decorative steel finials that attach to the rail.)Go to 10Note: A kit that merely includes the aluminum extrusions and components (other than mere fasteners) that will be assembled together and input into another product which is sold to an end user. Components are considered unfinished because they require additional finished good OR goods are not packaged for retail sale. Example: Dining chair kit consisting of extruded aluminum profiles but does not include the upholstered seat.Go to 10Subassembly containing aluminum extrusions that is partially assembled (e.g., via welding, mechanical fasteners, or other attachment mechanism) and designed for the sole purpose of becoming part of a larger whole. Example: Door thresholds consisting of aluminum extrusion components attached to non- aluminum extrusion components, which are assembled after importation (with additional components) to create the final finished product (part for doors).Go to 10		extruded aluminum component(s) that is fully and permanently assembled and completed at the time of entry. <u>Examples (not all-inclusive)</u> : Finished windows	Go to 11
(other than mere fasteners) that will be assembled together and input into another product which is sold to an end user. Components are considered unfinished because they require additional finishing or fabrication OR do not contain all necessary parts to assemble a final finished good OR goods are not packaged for retail sale. Example: Dining chair kit consisting of extruded aluminum profiles but does not include the upholstered seat.Go to 10Subassembly containing aluminum extrusions that is partially assembled (e.g., via welding, mechanical fasteners, or other attachment mechanism) and designed for the sole purpose of becoming part of a larger whole. Example: Door thresholds consisting of aluminum extrusion components attached to non- aluminum extrusion components, which are assembled after importation (with additional components) to create the final finished product (part for doors).Go to 10		Finished Goods Kit. Goods containing aluminum extrusions that are entered unassembled and in the form of a "finished goods kit". A finished goods kit is understood to mean a packaged (e.g. for retail sale) combination of parts that contains, at the time of importation, all of the necessary parts to fully assemble a final finished good and requires no further finishing or fabrication, such as cutting or punching, and is assembled "as is" into a finished product. Example: Drapery rail kits consisting of all components required to install the drapery rail on the wall (rail that is made of extruded aluminum, decorative steel brackets and decorative steel finials that attach to the rail.)	Go to 11
via welding, mechanical fasteners, or other attachment mechanism) and designed for the sole purpose of becoming part of a larger whole. <u>Example:</u> Door thresholds consisting of aluminum extrusion components attached to non-aluminum extrusion components, which are assembled after importation (with additional components) to create the final finished product (part for doors).		(other than mere fasteners) that will be assembled together and input into another product which is sold to an end user. Components are considered unfinished because they require additional finishing or fabrication OR do not contain all necessary parts to assemble a final finished good OR goods are not packaged for retail sale. <u>Example:</u> Dining chair kit consisting of extruded	Go to 10
None of the above. Go to 10		via welding, mechanical fasteners, or other attachment mechanism) and designed for the sole purpose of becoming part of a larger whole. <u>Example:</u> Door thresholds consisting of aluminum extrusion components attached to non-aluminum extrusion components, which are assembled after importation (with	Go to 10
		None of the above.	Go to 10

This form is not required by U.S. Customs & Border Protection. However, a detailed description of merchandise is required per 19 CFR § 141.86.

- Provide the value breakout, of the aluminum extrusion components and the non-aluminum extrusion components (if applicable).
 Aluminum extrusion content \$_____USD / Non-aluminum content \$_____USD
- 11 Manufacturer name and address (if known):

Exporter name and address (if		
12. Primary Country of Smelt:		
13. Secondary Country of Smelt:		
14. Country of Cast:		
15. Completed By:		
Name:	Signature:	
Title:	Company:	